



AUTENTICO® Velvet Wall Paint

Product Description:

Autentico® Velvet is a high quality water-based paint designed to provide a long lasting, elegant finish with superior coverage and beautiful depth of colour.

This exceptional wall emulsion is the quintessential paint for decorating your home. Eco friendly, low VOC with a matt finish, Autentico® Velvet is hard wearing and breathable, perfect for listed buildings as well as the modern home.

Location:

Interior walls, ceilings and furniture.

Suggested Applications:

Can be applied to plaster, plasterboard, wood, masonry, PVC, metal and a wide range of other surfaces that have been prepared.

Preparation:

Fresh plastered and previously painted walls::

Make sure substrates are dry, clean and stable as well as free from dirt, grease, mould or any other loose materials. Cleaning with Autentico Omniclean is recommended.

Can be applied directly to plastered and previously painted walls and ceilings. If applying to fresh plaster, do not paint until all plaster has thoroughly set and dried.

Unpainted and previously painted Surfaces (Furniture):

Substrate should be dry, clean, stable and free from dirt, grease, mould or other loose materials. For best results, always clean prior to painting with Autentico Omniclean. Sand

glossed and plastic surfaces to create a 'key' for best adhesion. Use Autentico Bio-Strip to remove wax residue if required.

Metal:

Use Autentico Metal Primer to prevent corrosion

High-tannin wood:

Use Autentico Primer for wood such as oak, pine, chestnut and mahogany, as tannins can bleed causing discolouration. Always test on a small surface first.

Application:

Stir well prior to use. Apply two coats or as required with brush, spray or a short pile roller.

Drying Times:

Touch dry in 30 minutes. Allow minimum of 2-hour drying time between coats. (Drying times may vary dependent on temperature, surface profile and porosity).

Coverage:

Covers approximately between 8-13 m² per 1L depending on surface profile and porosity.

Packaging:

Autentico® Velvet is available in 2.5 litre and 5 litre.

Colour Range:

Choose from our colour pallet of 150 deep and rich colours.

Limitations:

All Autentico products should not be applied in high humidity, below 10°C or above 30°C.

Storage:

Keep in a cool dry place. Away from risk of frost.

Cleaning and Disposal:

Remove excess paint from tools and mixing vessels before washing in warm soapy water. Do not empty containers into drains or watercourses.

Complementary Products:

Autentico® Sealer is an eco friendly, high performance coating which has been designed to be used in conjunction with Autentico® Velvet. Autentico® Sealer enables walls painted with Autentico® Velvet to become water resistant.

For in depth details on Autentico® Sealer please see relevant product sheet.

Environmental Information:

This product contains 17 g/L VOC. EU target level for this product: 30g/L

Autentico® The Charm of Chalk uses only the finest quality, low odour and minimal environmental impact raw materials. Our manufacturing processes are zero waste and all paint formulations are designed for maximum performance with minimum impact on user health.

Contains: Chloromethylisothiazolineon and metylisothiazolineon (3:1).

Health and Safety:

Keep out of reach of children. If in contact with eyes, rinse immediately with warm water consistently with eye lids open for at least 10 minutes. Safety data sheets available upon request.

Manufacturers Details:

Unit 4, The Glenmore Centre
Moat Way
Ashford
Kent
TN24 0TL

01233878303

www.autentico-paint.com
enquiries@autentico-paint.com